

SAI Global hereby grants:

Rifeng Enterprise Group Co.,Ltd.

5/F, Rifeng Building, 16 Zumiao Road, Foshan, Guangdong China

WaterMark Certificate of Conformity – Level 1

Evaluated to:

AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent application

"the WaterMark Licensee" the right to use or arrange the use of the WATERMARK as shown below only in respect of the goods described and detailed on the product schedule identified on www.saiglobal.com which are produced by the WaterMark Licensee or on behalf of the WaterMark Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the WATERMARK and the Terms and Conditions for certification. The WaterMark Licensee covenants to comply with all the Rules and Terms and Conditions

Certificate No: WMK26347

Issued: 15 February 2019 **Expires:** 13 February 2024

Originally Certified: 14 February 2019 Current Certification: 14 February 2019

Kevin Goodwin General Manager Technical Services SAI Global Assurance





WWW.JAS-ANZ.ORG/REGISTER

* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.



CERTIFICATE OF CONFORMITY

SAI Global hereby grants:

Rifeng Enterprise Group Co.,Ltd.

5/F, Rifeng Building, 16 Zumiao Road, Foshan, Guangdong China

WaterMark Certificate of Conformity - Level 1

Evaluated to:

AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent application

Model identification of the goods on which the WATERMARK may be used:

Model Identificatio n	Model Name	Brand Name	Product Description	Produc t Type	Nominal Size (DN)	Stiffness Classificatio n	Joint Type	Colou r	Date Endorse d
F30- L100*100	88 Bend Side Access F/F	RIFEN G / COUTA	100mm 88 degree PVC Bend Side Access F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L40	45 Bend M/F	RIFEN G / COUTA	40mm 45 degree PVC Bend M/F	DWV fitting	DN40	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L50	88 Bend M/F	RIFEN G / COUTA	50mm 88 degree PVC Bend M/F	DWV fitting	DN50	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L50	45 Bend M/F	RIFEN G / COUTA	50mm 45 degree PVC Bend M/F	DWV fitting	DN50	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L65	88 Bend M/F	RIFEN G / COUTA	65mm 88 degree PVC Bend M/F	DWV fitting	DN65	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- S100*100	Test Openin g M/F	RIFEN G / COUTA	100mm PVC Inspection Test Opening M/F	DWV fitting	DN100	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-S50*50	Couplin g F/F	RIFEN G / COUTA	50mm PVC Coupling F/F	DWV fitting	DN50	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- SP100*50	Level Invert Taper M/F	RIFEN G / COUTA	100mm*50mm PVC Level Invert Taper M/F	DWV fitting	DN100*DN5 0	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019

Certificate No: WMK26347 Issued Date: 15 February 2019

This schedule supersedes all previously issued schedules



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

^{*} For details of manufacture, refer to the licensee

CERTIFICATE OF CONFORMITY

Model Identificatio n	Model Name	Brand Name	Product Description	Produc t Type	Nominal Size (DN)	Stiffness Classificatio n	Joint Type	Colou r	Date Endorse d
F30- SP100*65	Level Invert Taper M/F	RIFEN G / COUTA	100mm*65mm PVC Level Invert Taper M/F	DWV fitting	DN100*DN6 5	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- T100*100*10 0	45 Junctio n F/F	RIFEN G / COUTA	100mm 45 degree Left Side Access PVC Junction F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T100*100*10 0	45 Junctio n M/F	RIFEN G / COUTA	100mm 45 degree PVC Junction M/F	DWV fitting	DN100	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- T50*50*50	45 Junctio n F/F	RIFEN G / COUTA	50mm 45 degree PVC Junction F/F	DWV fitting	DN50	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T50*50*50	88 Junctio n F/F	RIFEN G / COUTA	50mm 88 degree PVC Junction F/F	DWV fitting	DN50	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L100	88 Bend M/F	RIFEN G / COUTA	100mm 88 degree PVC Bend M/F	DWV fitting	DN100	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L100	45 Bend M/F	RIFEN G / COUTA	100mm 45 degree PVC Bend M/F	DWV fitting	DN100	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- L100*100	88 Bend F/F	RIFEN G / COUTA	100mm 88 degree PVC Bend F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- L100*100	45 Bend F/F	RIFEN G / COUTA	100mm 45 degree PVC Bend F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L40	88 Bend M/F	RIFEN G / COUTA	40mm 88 degree PVC Bend M/F	DWV fitting	DN40	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L40*40	88 Bend F/F	RIFEN G / COUTA	40mm 88 degree PVC Bend F/F	DWV fitting	DN40	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L40*40	45 Bend F/F	RIFEN G / COUTA	40mm 45 degree PVC Bend F/F	DWV fitting	DN40	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L50*50	88 Bend F/F	RIFEN G / COUTA	50mm 88 degree PVC Bend F/F	DWV fitting	DN50	N/A	solvent cement/ Socket	Light grey	25 Jan 2019

Certificate No: WMK26347 Issued Date: 15 February 2019

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

CERTIFICATE OF CONFORMITY

Model Identificatio n	Model Name	Brand Name	Product Description	Produc t Type	Nominal Size (DN)	Stiffness Classificatio n	Joint Type	Colou r	Date Endorse d
F30-L50*50	45 Bend F/F	RIFEN G / COUTA	50mm 45 degree PVC Bend F/F	DWV fitting	DN50	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L65	45 Bend M/F	RIFEN G / COUTA	65mm 45 degree PVC Bend M/F	DWV fitting	DN65	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30-L65*65	88 Bend F/F	RIFEN G / COUTA	65mm 88 degree PVC Bend F/F	DWV fitting	DN65	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-L65*65	45 Bend F/F	RIFEN G / COUTA	65mm 45 degree PVC Bend F/F	DWV fitting	DN65	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- S100*100	Couplin g F/F	RIFEN G / COUTA	100mm PVC Coupling F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- S100*100	Test Openin g F/F	RIFEN G / COUTA	100mm PVC Inspection Test Opening F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-S40*40	Couplin g F/F	RIFEN G / COUTA	40mm PVC Coupling F/F	DWV fitting	DN40	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- SD100*40	Socket Reduce r M/F	RIFEN G / COUTA	100mm*40mm PVC Socket Reducer M/F	DWV fitting	DN100*DN4 0	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- SD100*50	Socket Reduce r M/F	RIFEN G / COUTA	100mm*50mm PVC Socket Reducer M/F	DWV fitting	DN100*50	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- SD100*65	Socket Reduce r M/F	RIFEN G / COUTA	100mm*65mm PVC Socket Reducer M/F	DWV fitting	DN100*DN6 5	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- SD50*40	Socket Reduce r M/F	RIFEN G / COUTA	50mm*40mm PVC Socket Reducer M/F	DWV fitting	DN50*DN40	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- SP50*40	Level Invert Taper M/F	RIFEN G / COUTA	50mm*40mm PVC Level Invert Taper M/F	DWV fitting	DN50*DN40	N/A	solvent cement/ Socket/Spig ot end	Light grey	25 Jan 2019
F30- T100*100*10 0	45 Junctio n F/F	RIFEN G / COUTA	100mm 45 degree PVC Junction F/F with thread top and branch	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019

Certificate No: WMK26347 Issued Date: 15 February 2019

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

CERTIFICATE OF CONFORMITY

Model Identificatio n	Model Name	Brand Name	Product Description	Produc t Type	Nominal Size (DN)	Stiffness Classificatio n	Joint Type	Colou r	Date Endorse d
F30- T100*100*10 0	45 Junctio n F/F	RIFEN G / COUTA	100mm 45 degree PVC Junction F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T100*100*10 0	45 Junctio n F/F	RIFEN G / COUTA	100mm 45 degree Right Side Access PVC Junction F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T100*100*10 0	45 Junctio n F/F	RIFEN G / COUTA	100mm 45 degree PVC Junction F/F with thread top only	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T100*100*10 0	88 Junctio n F/F	RIFEN G / COUTA	100mm 88 degree PVC Junction F/F	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T40*40*40	45 Junctio n F/F	RIFEN G / COUTA	40mm 45 degree PVC Junction F/F	DWV fitting	DN40	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T40*40*40	88 Junctio n F/F	RIFEN G / COUTA	40mm 88 degree PVC Junction F/F	DWV fitting	DN40	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T65*65*65	45 Junctio n F/F	RIFEN G / COUTA	65mm 45 degree PVC Junction F/F	DWV fitting	DN65	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- T65*65*65	88 Junctio n F/F	RIFEN G / COUTA	65mm 88 degree PVC Junction F/F	DWV fitting	DN65	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30-W100	Floor Gully	RIFEN G / COUTA	100mm PVC Waste Floor Gully	DWV fitting	DN100	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- W100*50	Floor Gully	RIFEN G / COUTA	100mm*50mm PV C Waste Floor Gully	DWV fitting	DN100*DN5 0	N/A	solvent cement/ Socket	Light grey	25 Jan 2019
F30- W100*65	Floor Gully	RIFEN G / COUTA	100mm*65mm PV C Waste Floor Gully	DWV fitting	DN100*DN6 5	N/A	solvent cement/ Socket	Light grey	25 Jan 2019

End of Record

Certificate No: WMK26347 Issued Date: 15 February 2019

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.